Page: 1/12

# **Safety Data Sheet**

acc. to OSHA HCS (29 CFR 1910.1200) and WHMIS 2015 regulations

Printing date: 09/07/2016 Revision: 09/07/2016

### 1 Identification

· Product identifier

· Trade name: SeaKlear: Shock Oxidizer Pods for Spas

Product code: No other identifiers

· Recommended use and restriction on use

· Recommended use: Water treatment

· Restrictions on use: Contact manufacturer

Details of the supplier of the Safety Data Sheet

Manufacturer/Supplier:

NC Brands L.P. 40 Richards Ave Norwalk, CT 06854 (800) 753-1233

· Emergency telephone number:

CHEMTREC

1-800-424-9300 (US/Canada)

+01 703-527-3887 (International)

### 2 Hazard(s) identification

#### · Classification of the substance or mixture

Acute Tox. 4 H302 Harmful if swallowed.

Skin Corr. 1B H314 Causes severe skin burns and eye damage.

Eye Dam. 1 H318 Causes serious eye damage.

Resp. Sens. 1 H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.

Skin Sens. 1 H317 May cause an allergic skin reaction.

- · Label elements
- · GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS).

· Hazard pictograms:







**GHS05 GHS07 GHS08** 

Signal word: Danger

· Hazard statements:

H302 Harmful if swallowed.

H314 Causes severe skin burns and eye damage.

H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.

H317 May cause an allergic skin reaction.

· Precautionary statements:

P260 Do not breathe dust.

P284 In case of inadequate ventilation wear respiratory protection.

P264 Wash thoroughly after handling.

P280 Wear protective gloves/protective clothing/eye protection.
P270 Do not eat, drink or smoke when using this product.

(Cont'd. on page 2)

Page: 2/12

# **Safety Data Sheet**

### acc. to OSHA HCS (29 CFR 1910.1200) and WHMIS 2015 regulations

Printing date: 09/07/2016 Revision: 09/07/2016

Trade name: SeaKlear: Shock Oxidizer Pods for Spas

(Cont'd. of page 1)

P272 Contaminated work clothing must not be allowed out of the workplace.

P303+P361+P353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with

water/shower.

P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor.

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P342+P311 If experiencing respiratory symptoms: Call a POISON CENTER/doctor.

P363 Wash contaminated clothing before reuse.

P333+P313 If skin irritation or rash occurs: Get medical advice/attention.

P301+P312 IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell.

P301+P330+P331 If swallowed: Rinse mouth. Do NOT induce vomiting.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

Other hazards There are no other hazards not otherwise classified that have been identified.

### 3 Composition/information on ingredients

· Chemical characterization: Mixtures

· Components:			
70693-62-8	pentapotassium bis(peroxymonosulphate)bis(sulphate) Skin Corr. 1B, H314; Eye Dam. 1, H318 Acute Tox. 4, H302	60-80%	
497-19-8	sodium carbonate  © Eye Irrit. 2A, H319	10-20%	
7727-21-1	dipotassium peroxodisulphate  Ox. Sol. 3, H272 Resp. Sens. 1, H334 Acute Tox. 4, H302; Skin Irrit. 2, H315; Eye Irrit. 2A, H319; Skin Sens. 1, H317; STOT SE 3, H335	<5%	

#### Additional information:

For the listed ingredient(s), the identity and/or exact percentage(s) are being withheld as a trade secret. For the wording of the listed Hazard Statements refer to section 16.

### 4 First-aid measures

- Description of first aid measures
- · After inhalation:

Supply fresh air and to be sure to call for a doctor.

Provide oxygen treatment if affected person has difficulty breathing.

In case of irregular breathing or respiratory arrest provide artificial respiration.

After skin contact:

Immediately remove any clothing soiled by the product.

Brush off loose particles from skin.

Immediately wash with water and soap and rinse thoroughly.

(Cont'd. on page 3)

Page: 3/12

# **Safety Data Sheet**

acc. to OSHA HCS (29 CFR 1910.1200) and WHMIS 2015 regulations

Printing date: 09/07/2016 Revision: 09/07/2016

Trade name: SeaKlear: Shock Oxidizer Pods for Spas

(Cont'd. of page 2)

If skin irritation continues, consult a doctor.

Seek immediate medical help for blistering or open wounds.

#### · After eye contact:

Protect unharmed eye.

Remove contact lenses if worn, if possible.

Rinse opened eye for several minutes under running water. Then consult a doctor.

#### After swallowing:

Rinse out mouth and then drink plenty of water.

Do not induce vomiting; immediately call for medical help.

## Most important symptoms and effects, both acute and delayed:

Asthma attacks

Breathing difficulty

Coughing

Allergic reactions

Danger of severe eye injury.

Strong caustic effect on skin and mucous membranes.

Gastric or intestinal disorders when ingested.

Nausea in case of ingestion.

Vomiting.

Diarrhea.

### · Danger:

Danger of gastric perforation.

Danger of impaired breathing.

Causes severe skin burns and eye damage.

May cause allergy or asthma symptoms or breathing difficulties if inhaled.

Harmful if swallowed.

### · Indication of any immediate medical attention and special treatment needed:

Medical supervision for at least 48 hours.

Severe allergic skin reaction, bronchial spasms and anaphylactic shock are possible.

Later observation for pneumonia and pulmonary edema.

If necessary oxygen respiration treatment.

Contains dipotassium peroxodisulphate. May produce an allergic reaction.

In cases of irritation to the lungs, initial treatment with cortical steroid inhalants.

If medical advice is needed, have product container or label at hand.

### 5 Fire-fighting measures

- Extinguishing media
- · Suitable extinguishing agents: Water spray
- · For safety reasons unsuitable extinguishing agents: None.
- Special hazards arising from the substance or mixture

Formation of toxic gases is possible during heating or in case of fire.

- Advice for firefighters
- Protective equipment:

Wear self-contained respiratory protective device.

Wear fully protective suit.

Page: 4/12

# **Safety Data Sheet**

acc. to OSHA HCS (29 CFR 1910.1200) and WHMIS 2015 regulations

Printing date: 09/07/2016 Revision: 09/07/2016

Trade name: SeaKlear: Shock Oxidizer Pods for Spas

(Cont'd. of page 3)

#### 6 Accidental release measures

Personal precautions, protective equipment and emergency procedures:

Ensure adequate ventilation.

Use personal protective equipment as required.

Avoid formation of dust.

Do not breathe dust.

- Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- · Methods and material for containment and cleaning up:

Pick up mechanically.

Send for recovery or disposal in suitable receptacles.

Reference to other sections:

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

### 7 Handling and storage

- ·Handling
- · Precautions for safe handling:

Use only in well ventilated areas.

Prevent formation of dust.

Any deposit of dust which cannot be avoided must be regularly removed.

Information about protection against explosions and fires:

Keep ignition sources away - Do not smoke.

Emergency cooling must be available in case of nearby fire.

Keep respiratory protective device available.

- Conditions for safe storage, including any incompatibilities
- · Storage
- · Requirements to be met by storerooms and receptacles:

Storage area should be dry and well-ventilated.

Information about storage in one common storage facility:

Store away from foodstuffs.

Store away from reducing agents.

Store away from flammable substances.

Store away from metals.

Do not store together with textiles.

Further information about storage conditions:

Protect from humidity and water.

Keep containers tightly sealed.

· Specific end use(s): No relevant information available.

(Cont'd. on page 5)

Page: 5/12

# **Safety Data Sheet**

acc. to OSHA HCS (29 CFR 1910.1200) and WHMIS 2015 regulations

Printing date: 09/07/2016 Revision: 09/07/2016

Trade name: SeaKlear: Shock Oxidizer Pods for Spas

(Cont'd. of page 4)

### 8 Exposure controls/personal protection

### · Control parameters

Components	Components with limit values that require monitoring at the workplace:				
70693-62-8 pentapotassium bis(peroxymonosulphate)bis(sulphate)					
TLV (USA)	Long-term value: 0.1 mg/m³ as Persulfates				
EL (Canada)	Long-term value: 0.1 mg/m³ as persulfate				
7727-21-1 dipotassium peroxodisulphate					
TLV (USA)	Long-term value: 0.1 mg/m³ as Persulfates				
EL (Canada)	Long-term value: 0.1 mg/m³ as persulfate				
EV (Canada)	Long-term value: 0.1 mg/m³				

### Exposure controls

- · Personal protective equipment:
- General protective and hygienic measures:

The usual precautionary measures for handling chemicals should be followed.

Do not breathe dust.

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Do not inhale gases / fumes / aerosols.

Avoid contact with the eyes and skin.

- Engineering controls: No relevant information available.
- · Breathing equipment:

Wear appropriate NIOSH respirator when ventilation is inadequate and occupational exposure limits are exceeded.

· Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Eve protection:



Safety glasses

- · Body protection: Protective work clothing
- Limitation and supervision of exposure into the environment

Avoid release to the environment.

(Cont'd. on page 6)

Page: 6/12

# **Safety Data Sheet**

acc. to OSHA HCS (29 CFR 1910.1200) and WHMIS 2015 regulations

Printing date: 09/07/2016 Revision: 09/07/2016

Trade name: SeaKlear: Shock Oxidizer Pods for Spas

(Cont'd. of page 5)

· Risk management measures See Section 7 for additional information.

Physical and chemical properties				
Information on basic physical and chemical properties				
Appearance:	• •			
Form:	Granulate			
Color:	White			
Odor:	Odorless			
Odor threshold:	Not determined.			
pH-value:	8.2 - 9.2 (1% solution)			
Melting point/Melting range:	Not determined.			
Boiling point/Boiling range:	Not determined.			
Flash point:	Not applicable.			
Flammability (solid, gaseous):	Contact with combustible material may cause fire.			
Auto-ignition temperature:	Not determined.			
Decomposition temperature:	Not determined.			
Danger of explosion:	Product does not present an explosion hazard.			
Explosion limits				
Lower:	Not determined.			
Upper:	Not determined.			
Oxidizing properties:	Contains oxidizing agent.			
Vapor pressure:	Not determined.			
Density:				
Relative density at 20 °C (68 °F):	2.35 g/cm³ (19.611 lbs/gal)			
Vapor density:	Not applicable.			
Evaporation rate:	Not applicable.			
Solubility in / Miscibility with				
Water at 22 °C (72 °F):	297-357 g/l			
· Partition coefficient (n-octanol/water): Not determined.				
Viscosity				
Dynamic:	Not applicable.			
Kinematic:	Not applicable.			
Other information	No relevant information available.			

# 10 Stability and reactivity

- · Reactivity: No relevant information available.
- · Chemical stability: Stable under normal temperatures and pressures.

(Cont'd. on page 7)

Page: 7/12

# **Safety Data Sheet**

acc. to OSHA HCS (29 CFR 1910.1200) and WHMIS 2015 regulations

Printing date: 09/07/2016 Revision: 09/07/2016

Trade name: SeaKlear: Shock Oxidizer Pods for Spas

(Cont'd. of page 6)

· Thermal decomposition / conditions to be avoided: Decomposes before melting.

· Possibility of hazardous reactions:

Reacts with reducing agents.

Reacts with halogenated compounds.

Reacts with organic substances.

Reacts with strong acids and alkali.

Reacts with various metals.

· Conditions to avoid:

Reacts with reducing agents.

Excessive heat.

Incompatible materials:

Reducing agents.

Strong acids

Alkalis

· Hazardous decomposition products:

Carbon dioxide

Sulfur oxides (SOx)

Toxic metal oxide smoke

# 11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:
- · LD/LC50 values that are relevant for classification:

### 7727-21-1 dipotassium peroxodisulphate

Oral LD50 802 mg/kg (rat)

- · Primary irritant effect:
- On the skin: Caustic effect on skin and mucous membranes.
- · On the eye: Strong caustic effect.
- · Sensitization: May cause sensitisation by inhalation and skin contact.

## · IARC (International Agency for Research on Cancer):

None of the ingredients are listed.

### · NTP (National Toxicology Program):

None of the ingredients are listed.

# · OSHA-Ca (Occupational Safety & Health Administration):

None of the ingredients are listed.

# Probable route(s) of exposure:

Ingestion.

Inhalation.

Eve contact.

Skin contact.

- · Acute effects (acute toxicity, irritation and corrosivity): Harmful if swallowed.
- · Repeated dose toxicity: Repeated exposures may result in skin and/or respiratory sensitivity.
- CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- · Germ cell mutagenicity: Based on available data, the classification criteria are not met.

(Cont'd. on page 8)

Page: 8/12

# **Safety Data Sheet**

### acc. to OSHA HCS (29 CFR 1910.1200) and WHMIS 2015 regulations

Printing date: 09/07/2016 Revision: 09/07/2016

Trade name: SeaKlear: Shock Oxidizer Pods for Spas

(Cont'd. of page 7)

- · Carcinogenicity: Based on available data, the classification criteria are not met.
- · Reproductive toxicity: Based on available data, the classification criteria are not met.
- STOT-single exposure: Based on available data, the classification criteria are not met.
- STOT-repeated exposure: Based on available data, the classification criteria are not met.
- · Aspiration hazard: Based on available data, the classification criteria are not met.

# 12 Ecological information

- · Toxicity
- · Aquatic toxicity No relevant information available.
- · Persistence and degradability No relevant information available.
- · Bioaccumulative potential: No relevant information available.
- Mobility in soil: No relevant information available.
- · Additional ecological information
- · General notes: Do not allow product to reach ground water, water course or sewage system.
- Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · **vPvB:** Not applicable.
- · Other adverse effects: No relevant information available.

## 13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

The user of this material has the responsibility to dispose of unused material, residues and containers in compliance with all relevant local, state and federal laws and regulations regarding treatment, storage and disposal for hazardous and nonhazardous wastes.

- Uncleaned packagings
- · Recommendation: Disposal must be made according to official regulations.

14 Transport information			
· UN-Number · DOT, ADR, IMDG, IATA	UN3260		
· UN proper shipping name · DOT, IATA · ADR, IMDG	Corrosive solid, acidic, inorganic, n.o.s. (Monopersulfate Compound) CORROSIVE SOLID, ACIDIC, INORGANIC, N.O.S.		
	(Monopersulfate Compound) (Cont'd. on page 9)		

### Page: 9/12

# **Safety Data Sheet**

acc. to OSHA HCS (29 CFR 1910.1200) and WHMIS 2015 regulations

Printing date: 09/07/2016 Revision: 09/07/2016

Trade name: SeaKlear: Shock Oxidizer Pods for Spas

(Cont'd. of page 8) · Transport hazard class(es) · DOT · Class 8 Corrosive substances · Label · ADR · Class 8 (C2) Corrosive substances · Label · IMDG, IATA · Class 8 Corrosive substances · Label · Packing group DOT, ADR, IMDG, IATA Ш · Environmental hazards · Marine pollutant: No · Special precautions for user Warning: Corrosive substances Danger code (Kemler): · EMS Number: F-A,S-B · Segregation groups Acids Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable. · Transport/Additional information: · DOT Limited Quantity for packages less than 30 kg gross and inner packagings less than 1 kg.

(Cont'd. on page 10)

Page: 10/12

# **Safety Data Sheet**

acc. to OSHA HCS (29 CFR 1910.1200) and WHMIS 2015 regulations

Printing date: 09/07/2016 Revision: 09/07/2016

Trade name: SeaKlear: Shock Oxidizer Pods for Spas

(Cont'd. of page 9)

· ADR



Limited Quantity for packages less than 30 kg gross and inner packagings less than 1 kg.

·IMDG



Limited Quantity for packages less than 30 kg gross and inner packagings less than 1 kg.

· IATA



Limited Quantity for packages less than 30 kg gross and inner packagings less than 2.5 kg.

### 15 Regulatory information

- Safety, health and environmental regulations/legislation specific for the substance or mixture
- · United States (USA)
- ·SARA
- Section 302 (extremely hazardous substances):

None of the ingredients are listed.

· Section 355 (extremely hazardous substances):

None of the ingredients are listed.

Section 313 (Specific toxic chemical listings):

None of the ingredients are listed.

· TSCA (Toxic Substances Control Act)

All ingredients are listed.

- · Proposition 65 (California)
- · Chemicals known to cause cancer:

None of the ingredients are listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients are listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients are listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients are listed.

(Cont'd. on page 11)

Page: 11/12

# **Safety Data Sheet**

acc. to OSHA HCS (29 CFR 1910.1200) and WHMIS 2015 regulations

Printing date: 09/07/2016 Revision: 09/07/2016

Trade name: SeaKlear: Shock Oxidizer Pods for Spas

(Cont'd. of page 10)

· Carcinogenic categories

· EPA (Environmental Protection Agency):

None of the ingredients are listed.

IARC (International Agency for Research on Cancer):

None of the ingredients are listed.

· NIOSH-Ca (National Institute for Occupational Safety and Health):

None of the ingredients are listed.

· Canadian Domestic Substances List (DSL):

All ingredients are listed.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

#### 16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Date of preparation / last revision 09/07/2016 / -

· Abbreviations and acronyms:

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health

LDLo: Lowest Lethal Dose Observed

Ox. Sol. 3: Oxidizing solids - Category 3

Acute Tox. 4: Acute toxicity – Category 4

Skin Corr. 1B: Skin corrosion/irritation - Category 1B

Skin Irrit. 2: Skin corrosion/irritation - Category 2

Eye Dam. 1: Serious eye damage/eye irritation – Category 1

Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A

Resp. Sens. 1: Respiratory sensitisation - Category 1

Skin Sens. 1: Skin sensitisation – Category 1

STOT SE 3: Specific target organ toxicity (single exposure) - Category 3

#### Sources

Website, European Chemicals Agency (echa.europa.eu)

Website, US EPA Substance Registry Services (ofmpub.epa.gov/sor internet/registry/substreg/home/overview/home.do)

Website, Chemical Abstracts Registry, American Chemical Society (www.cas.org)

Patty's Industrial Hygiene, 6th ed., Rose, Vernon, ed. ISBN: ISBN: 978-0-470-07488-6

Casarett and Doull's Toxicology: The Basic Science of Poisons, 8th Ed., Klaasen, Curtis D., ed., ISBN: 978-0-07-176923-5.

Safety Data Sheets, Individual Manufacturers

SDS Prepared by:

ChemTel Inc.

1305 North Florida Avenue

(Cont'd. on page 12)

Page: 12/12

Safety Data Sheet acc. to OSHA HCS (29 CFR 1910.1200) and WHMIS 2015 regulations

Printing date: 09/07/2016 Revision: 09/07/2016

Trade name: SeaKlear: Shock Oxidizer Pods for Spas

(Cont'd. of page 11)

Tampa, Florida USA 33602-2902 Toll Free North America 1-888-255-3924 Intl. +01 813-248-0573

Website: www.chemtelinc.com